




NWT Water Monitoring Bulletin

– April 27, 2023 at 14:00



NWT break up reports will be published routinely as break up unfolds. These reports will focus on regions with active snowmelt and ice break up. The geographic focus of the report will shift as conditions change. Additional information about basin conditions can be found in the ENR Snow Survey Bulletin and Spring Water Outlook, [available here](#). If you have any photos or information about break up in your community, feel free to reach out to us: nwtwaters@gov.nt.ca.

Current Status:

- Snowmelt, river ice melt, and rises in water levels continue in southern basins in the NWT;
- On the Hay River, ice continues to break up and shift;
- On the Liard River and on the Mackenzie River at Fort Simpson, water levels are beginning to rise under the ice, but the rates of increase are still small;
- Warmer than seasonal temperatures are forecast for the Hay River and lower Liard River basins this weekend, beginning Friday and will persist into next week.
 - Snowpack in the upper (i.e., southern) Hay River basin has largely melted.
 - Temperatures will approach 20°C in the southern parts of the basins and will rapidly melt residual snowpack and soften river ice.

Contents

| | |
|---|----|
| Current Status: | 1 |
| Hay River: | 4 |
| Current Status: | 4 |
| Satellite Data: | 5 |
| Hydrometric Data: | 6 |
| Chinchaga River near High Level (Alberta) [07OC001]:..... | 6 |
| Hay River near Meander River (Alberta) [07OB003]:..... | 7 |
| Steen River near Steen River (Alberta) [07OB004]: | 8 |
| Hay River near the border [07OB008]: | 9 |
| Hay River near Hay River [07OB001]: | 11 |
| Liard River: | 13 |
| Current Status: | 13 |
| Hydrometric Data: | 14 |
| Liard River at Fort Liard [10ED001]:..... | 14 |
| Liard River near the mouth [10ED002]: | 16 |
| Slave River / Great Slave Lake / Mackenzie River | 18 |
| Current Status: | 18 |
| Hydrometric Data: | 19 |
| Slave River at Fitzgerald (Alberta) [07NB001]:..... | 19 |
| Great Slave Lake at Yellowknife Bay [07SB001]:..... | 20 |
| Mackenzie River at Strong Point [10FB006]: | 21 |
| Mackenzie River at Fort Simpson [10GC001]: | 23 |
| Weather Data: | 25 |
| Current status and forecast:..... | 25 |
| Background information and context: | 25 |
| 2023 spring temperatures to-date:..... | 26 |
| High Level: | 26 |
| Fort Nelson: | 26 |
| Hay River: | 26 |
| Fort Liard: | 27 |
| Fort Simpson:..... | 27 |
| Seven day weather forecast:..... | 28 |
| High Level: | 28 |

| | |
|--|----|
| Fort Nelson: | 28 |
| Hay River: | 28 |
| Fort Liard: | 29 |
| Fort Simpson: | 29 |
| Factors to Watch: | 30 |
| Spring Break up on NWT Rivers: Mechanical vs Thermal | 30 |
| Technical Note: | 31 |

Hay River:


Current Status:

- Snowpack in the upper (i.e., southern) part of the Hay River basin has largely melted;
- Water levels continue to slowly rise on the Hay River and its tributaries
 - Rates of rise are normal for this stage of breakup;
- Ice continues to degrade on the Hay River, with small amounts of local ice movement and consolidation;
 - Small patches of open water are developing;
- Warmer than normal temperatures are forecast in the Hay River basin beginning on Friday and persisting into next week.
 - Highs of near 20°C are forecast for the upper (southern) part of the basin;
 - Warm temperatures should continue to soften the ice cover;
- Refer to the [Town of Hay River website](#) for the most up-to-date information, as well as webcam images of current conditions.



Above – Map of hydrometric stations in the Hay River basin. The station numbers are referenced in the water level plots below.

Satellite Data:




Above – River ice classification information for the Hay River, using radar imagery taken on 26 April 2023. The images show mainly sheet ice and rubble (consolidated) ice along the Hay River, with some patches of open water forming.

Hydrometric Data:

Chinchaga River near High Level (Alberta) [07OC001]:


CHINCHAGA RIVER NEAR HIGH LEVEL (07OC001)




Above – Water level data for the Chinchaga River near High Level. Daily average levels for the previous year are shown here.

CHINCHAGA RIVER NEAR HIGH LEVEL (07OC001)

2023 Water Levels (5 minute resolution)




Historic Daily Water Levels



Above – Water level data at the Chinchaga River near High Level, AB. This plot shows high resolution (5 minute) water level data in the middle, and daily average data on the bottom.

Hay River near Meander River (Alberta) [070B003]:
HAY RIVER NEAR MEANDER RIVER (070B003)
2023 Water Levels (5 minute resolution)




Above – Water level data on the Hay River near Meander River, AB.


Steen River near Steen River (Alberta) [07OB004]:

STEEN RIVER NEAR STEEN RIVER (07OB004)

2023 Water Levels (5 minute resolution)




Historic Daily Water Levels




Above – Water level data on the Steen River near Steen River, AB. The Steen River is a small tributary to the Hay River. Water levels are slowly rising.

Hay River near the border [070B008]:
HAY RIVER NEAR ALTA/NWT BOUNDARY (070B008)



Above – Water level data for the Hay River near the Alberta- NWT border. Daily average levels for the previous year are shown here.




Above - The upper graph in the figure presents real time water level data at 5-minute resolution with the dashed line representing the peak water level from last year (2022). The lower graph shows daily average levels relative to the previous 20 years.




Above – Hay River near the border hydrometric gauge photo on April 27 at 12:00. Photo courtesy of Water Survey of Canada and GNWT.

Hay River near Hay River [07OB001]:
HAY RIVER NEAR HAY RIVER (07OB001)



Above – Water level data for the Hay River near the Town of Hay River. Daily average levels for the previous year are shown here.



Above - The upper graph in the figure presents real time water level data at 5-minute resolution with the dashed line representing the peak water level from last year (2022). The lower graph shows daily average levels relative to the previous 20 years.



Above – Hay River near the Town of Hay River hydrometric gauge photo on April 27 at 13:00. Photo courtesy of Water Survey of Canada and GNWT.

Liard River:

Current Status:

- Snowpack continues to melt across the basin;
- Ice remains largely intact along the Liard River within the NWT;
 - Breakup has initiated on the Petitot River, a tributary of the Liard River, and should continue over the coming days;
 - Breakup is well underway on the Fort Nelson River (northeastern BC), a tributary of the Liard River;
- Water levels are slowly increasing underneath the ice on the Liard River at Fort Liard
 - The low rate of water level rise is normal for this time of year
- The southern Dehcho region is forecast to receive warmer than normal temperatures beginning on Friday that will persist into next week.
 - Fort Liard and Nahanni Butte are forecast to receive small amounts of rain (10-20 mm) on Sunday night and Monday morning




Above – Map of hydrometric stations in the Liard River basin. The station numbers are referenced in the water level plots below.

Hydrometric Data:

Liard River at Fort Liard [10ED001]:


LIARD RIVER AT FORT LIARD (10ED001)




Above – Water level data for the Liard River at Fort Liard. Daily average levels for the previous year are shown here.

LIARD RIVER AT FORT LIARD (10ED001)

2023 Water Levels (5 minute resolution)



Historic Daily Water Levels




Above - The upper graph in the figure presents real time water level data at 5-minute resolution. The lower graph shows daily average levels relative to the previous 20 years.




Above – Liard River at Fort Liard hydrometric gauge photo from April 27 at 13:00. Photo courtesy of Water Survey of Canada and GNWT.

Liard River near the mouth [10ED002]:
LIARD RIVER NEAR THE MOUTH (10ED002)



Above – Water level data for the Liard River near the mouth (at Fort Simpson). Daily average levels for the previous year are shown here.



Above - The upper graph in the figure presents real time water level data at 5-minute resolution. The lower graph shows daily average levels relative to the previous 20 years.

10ED002_LiardMouth 2023-04-27 1901:14 UTC
61.74270, -121.22790 12.0V 16.5°C P




Above – Liard River near the mouth hydrometric gauge photo from April 27 at 13:00. Photo courtesy of Water Survey of Canada and GNWT.

Slave River / Great Slave Lake / Mackenzie River

Current Status:

- Break up is well underway in the Peace/Athabasca basins, which drain into the Slave River;
 - Break up has been mostly thermal on the Peace and Athabasca rivers;
- Satellite imagery shows small open water sections on the Mackenzie River upstream of Jean Marie River, but river ice remains largely intact;
- Water levels are slowly beginning to rise underneath the ice at the Mackenzie River at Fort Simpson, but the rate of increase is still very small;
- The southern Dehcho region is forecast to receive warmer than normal temperatures beginning on Friday that will persist well into next week.




Above – Map of hydrometric stations in the Dehcho (Mackenzie River) basin. The station numbers are referenced in the water level plots below.

Hydrometric Data:

Slave River at Fitzgerald (Alberta) [07NB001]:


SLAVE RIVER AT FITZGERALD (ALBERTA) (07NB001)



Above – Water level data for the Slave River at Fitzgerald. Daily average levels for the previous year is shown here.


Great Slave Lake at Yellowknife Bay [07SB001]:

GREAT SLAVE LAKE AT YELLOWKNIFE BAY (07SB001)




Above – Water level data for Great Slave Lake at Yellowknife Bay. Daily average levels for the previous year are shown here.

Mackenzie River at Strong Point [10FB006]:
MACKENZIE RIVER AT STRONG POINT (10FB006)



Above – Water level data for the Mackenzie River at Strong Point. Daily average levels for the previous year are shown here.




Above – The upper graph in the figure presents real time water level data at 5-minute resolution with the dashed line representing the peak water level from 2021. The lower graph shows daily average levels relative to the previous 20 years.




Above – Mackenzie River at Strong Point hydrometric gauge photo from April 27 at 13:00. Photo courtesy of Water Survey of Canada and GNWT.

Mackenzie River at Fort Simpson [10GC001]:
MACKENZIE RIVER AT FORT SIMPSON (10GC001)



Above – Water level data for the Mackenzie River at Fort Simpson. Daily average levels for the previous year are shown here.



Above: The upper graph in the figure presents real time water level data at 5-minute resolution. The lower graph shows daily average levels relative to the previous 20 years.

10GC001_MackSimpson 2023-04-27 19:01:14 UTC
61.86801, -121.35862 14.4V 20.5°C P



Above – Mackenzie River at Fort Simpson hydrometric gauge photo from April 27 at 13:00. Photo courtesy of Water Survey of Canada and GNWT.

Weather Data:

Current status and forecast:

The Hay River basin and the southern Dehcho region are forecast to receive above seasonal temperatures beginning on Friday and these will last through next week. Daytime high temperatures are forecast in the mid to high teens, with some areas near 20°C on Sunday and Monday between Fort Nelson, High Level, and Hay River. Satellite imagery indicates that the snowpack has melted in the upper Hay River basin and that snowmelt runoff delivery has likely ceased. Snowmelt is ongoing in the lower Hay and Liard river basins. The warm temperatures should melt the remaining snowpack and soften river ice.

The spring has been warmer than normal throughout the southern NWT and northern AB and BC. This has allowed snowpacks to gradual melt in advance of the warm weather that has been forecast for the next week.


Background information and context:

Weather information informs how snow and ice will melt and provides information about how this spring is unfolding relative to previous springs. Warmer than normal conditions early in the spring allow for additional energy to melt the snowpack and soften river ice. Rain-on-snow events can cause rapid melt of snowpacks and facilitate quick delivery of snowmelt water to rivers. Locations included here cover basin areas that feed into NWT rivers that are currently undergoing break up.


There are two sets of figures below. The first set of figures shows daily temperatures relative to normal for select locations in AB, BC, and the NWT. Weather information for High Level, AB and Fort Nelson, BC provide an idea of conditions in the upper (i.e., southern) part of the Hay River basin. The dark grey bands represent the average range of temperatures, while the light grey bands represent historic minimum and maximum daily mean temperatures. The second set of figures present a seven day weather forecast, provided by Environment and Climate Change Canada.

2023 spring temperatures to-date:


High Level:




Fort Nelson:




Hay River:



Fort Liard:



Fort Simpson:



Seven day weather forecast:

High Level:

| Thu 27 Apr | Fri 28 Apr | Sat 29 Apr | Sun 30 Apr | Mon 1 May | Tue 2 May | Wed 3 May |
|--|--|---|---|---|---|--|
|  15°C A mix of sun and cloud |  15°C Mainly sunny |  17°C Sunny |  21°C Sunny |  19°C A mix of sun and cloud |  25°C Sunny |  28°C A mix of sun and cloud |
|  4°C Partly cloudy |  -1°C Clear |  6°C Cloudy periods |  7°C Clear |  2°C Clear |  5°C Clear | |
|  4°C Partly cloudy |  -1°C Clear |  6°C Cloudy periods |  7°C Clear |  2°C Clear |  5°C Clear | |

Fort Nelson:

| Thu 27 Apr | Fri 28 Apr | Sat 29 Apr | Sun 30 Apr | Mon 1 May | Tue 2 May | Wed 3 May |
|--|--|---|--|---|--|--|
|  14°C A mix of sun and cloud |  17°C Sunny |  22°C Sunny |  23°C A mix of sun and cloud |  19°C A mix of sun and cloud |  20°C A mix of sun and cloud |  20°C A mix of sun and cloud |
|  2°C Clear |  3°C Clear |  6°C Cloudy periods |  10°C Cloudy |  3°C Cloudy periods |  7°C Cloudy periods | |

Hay River:

| Thu 27 Apr | Fri 28 Apr | Sat 29 Apr | Sun 30 Apr | Mon 1 May | Tue 2 May | Wed 3 May |
|--|---|---|---|---|---|---|
|  12°C Mainly sunny |  12°C Sunny |  17°C Sunny |  20°C Sunny |  17°C A mix of sun and cloud |  15°C Sunny |  20°C Sunny |
|  2°C Partly cloudy |  -3°C Clear |  8°C Cloudy |  8°C Clear |  2°C Clear |  6°C Clear | |

Fort Liard:

| Thu 27 Apr | Fri 28 Apr | Sat 29 Apr | Sun 30 Apr | Mon 1 May | Tue 2 May | Wed 3 May |
|--|--|--|--|---|--|--|
|  13°C |  15°C |  19°C |  23°C |  20°C |  18°C |  19°C |
| Mainly sunny | Sunny | A mix of sun and cloud | Sunny | A mix of sun and cloud | A mix of sun and cloud | A mix of sun and cloud |
| Tonight | Night | Night | Night | Night | Night | |
|  4°C |  0°C |  4°C |  10°C |  2°C |  6°C | |
| Clear | Clear | Cloudy periods | Cloudy | Cloudy periods | Cloudy periods | |

Fort Simpson:

| Thu 27 Apr | Fri 28 Apr | Sat 29 Apr | Sun 30 Apr | Mon 1 May | Tue 2 May | Wed 3 May |
|--|--|--|--|---|--|--|
|  13°C |  15°C |  20°C |  18°C |  18°C |  19°C |  20°C |
| Mainly sunny | Sunny | Sunny | Sunny | Sunny | Sunny | A mix of sun and cloud |
| Tonight | Night | Night | Night | Night | Night | |
|  -1°C |  1°C |  7°C |  6°C |  4°C |  9°C | |
| Clear | Clear | Cloudy periods | Cloudy | Clear | Cloudy periods | |

Factors to Watch:

It is important to note that much of the water contributing to flooding of NWT communities originates from outside of the NWT, which is why we also rely on information from the Yukon, British Columbia, Alberta and Saskatchewan.

The potential and severity of flooding will depend in large part on the weather over the upcoming weeks and how this interacts with existing ice conditions, water levels and snow pack amounts.

The primary factors that influence water levels in the spring are:

- Ice jams (can result in out-of-bank flows, even if there are below normal flows)
- Rate of melt of ice and snow:
 - Gradual vs quick melt
 - Rain on snow or ice events (rain brings a lot of energy to help melt happen more quickly)
- Current water levels
- How wet the ground was in the fall
- Snowpack

Spring Break up on NWT Rivers: Mechanical vs Thermal

In any given year, spring flooding can occur in a number of NWT communities, including Hay River, Jean Marie River, Fort Simpson, Fort Liard, Nahanni Butte, Tulita, Fort Good Hope, Fort McPherson and Aklavik. Spring flooding is caused by ice jam-induced flooding and can occur irrespective of existing water levels. However, if existing water levels are high, the impact of an ice jam flood can be much worse.

Ice jams typically form when on north-flowing rivers, where warm weather and snowmelt cause ice to break up on the southern reaches of a river. As this ice flows north (downstream), it meets a more solid ice cover. When this happens, the pieces of floating ice jam on the solid ice and can form a dam, which causes water levels to rise rapidly. This is called a **mechanical break up**, whereby the ice downstream is broken up by the force of ice moving into it.

If there is warm and sunny weather throughout early spring, the ice will thermally erode and weaken. This provides less of a resisting force for ice and water moving down the river and will have less of a chance of causing water levels to rise. This is called a **thermal break up**.

The causes of mechanical and thermal break ups are usually dependent on the weather during early spring. Warm weather, sunshine, and rain on snow events are usually a good way to bring extra energy into the system to help melt the ice. Warm temperatures in the upstream part of a basin could also cause a rapid snowmelt and move water to the river very quickly. This could lead to ice-jam conditions downstream if the ice has not yet received enough energy to degrade. Another important factor is the thickness of the ice. Thicker ice takes longer to melt and can increase the chances of ice jams. If an ice jam occurs, the location of the ice jam is also very

important. Each river reach has different locations that are prone to ice jams. The location of the ice jam can be an important factor as to whether or not a community floods. Furthermore, ice will jam and then move again at multiple locations along a river as break up progresses downstream. The timing and location of each jam can also influence if a community will flood.

Technical Note:

- The figures in this report plot water levels. The values on the y-axis are (in most cases) relative to an arbitrary datum. This means that the values on each gauge can be compared to different years but should not be used to compare water levels from one location to the next.

For example, the Hay River near the border gauge (07OB008) records a level of about 288 m. The Hay River near Hay River gauge (07OB001) usually records a level of about 4 m. This **does not mean** that the water level at the Hay River at the border site is 284 m higher than the water level at the Hay River near Hay River site.